



Profuse Electronics Co., Ltd.

FUSE BLOCK
FUSE CLIP
FUSE PULLER



Index

<i>Index</i>	2
9323 ~ 9328	3
9402 ~ 9408	4
9331 ~ 9332	5

9323 ~ 9328

9323 Heavy Duty Fuse Block with 1/4" Quick Connect



- For 3AG(6.35*31.75mm) glass fuse
- Rated for current up to 30A
- Clip /Terminal: Nickel-plated or tin-plated spring brass
- Base: Phenolic laminate or glass-fiber

9324 Standard Fuse Block Type "T" Screw Terminal



- Available up to 8 glass fuses
- Open type fuse blocks available up to 8 poles.
- Spacing between the poles allows for 1/8" width saw-cut

9325 Fuse Block



- Rated for currents up to 6.3A
- Clip/terminal: Nickel-plated or tin-plated spring brass
- Base: Phenolic laminate or glass-fiber
- Ear type: with axial tag

9326 Fuse Block P.C. Board Type for 5.2diaX20mm Fuse



- Rated for currents up to 6.3A
- Clip/terminal: Nickel-plated or tin-plated spring brass
- Base: Phenolic laminate or glass-fiber
- Ear type: with axial tag

9327 Fuse Block



- Rated for currents up to 15A
- Clip/terminal: Nickel-plated or tin-plated spring brass
- Base: Phenolic laminate or glass-fiber
- Ear type: with axial and direction tag

9328 Fuse Clip P.C. Board Type for 5.2dia Fuse



- Rated for currents up to 10A
- Clip/terminal: Nickel-plated or tin-plated spring brass
- Base: Phenolic laminate or glass fiber
- Ear type: with axial and direction tag

9402 ~ 9408

9402 Fuse Block



- Gold plated
- Four 8 AWG power cable input and four 8 AWG power cable output
- Net weight: 368 gram
- Size: L.101.7*W.76.6*H.35

9403 Mini Plug-in Fuse Holder



- Gold plated
- Three 4AWG Power cable input and four 8 AWG Power cable output
- Size: L.101.7*W.76.6*H.32

9404 2 Position 5AG Fuse Block



- Gold plated
- Three 4AWG power cable input and two 8AWG power cable output
- Net weight: 223 gram
- Size: L.101.7*W.51.8*H.32.5

9405 2 Position 5AG Fuse Block



- Gold plated
- Two 8AWG power cable input and two 8AWG power cable output
- Accept two 5AG fuses up to 80Amps each
- Net weight: 202 gram
- Size: L.101.7*W.51.8*H.32

9406 Heavy Duty ANL Fuse Holder-Waterproof




- Screw-in type
- Good waterproof, fits ANL fuse
- One 0 AWG In/Out
- Available in 0 AWG, 2AWG, 4AWG
- Net Weight: 250gram
- Size: L.141.5*W.50*H.41.5

9407 Position Maxi Fuse Block



- Accept 3 Maxi Plug-In Fuse
- One 3 way 4 AWG inputs and three 8 AWG outputs
- Net weight: 259gram
- Size: L.107.6*W.60.7*H.28

9408 4 Position Maxi Glass Fuse Block



- Accept 4 Maxi Glass Fuse
- Four 8 AWG inputs and four 8 AWG outputs

9331 ~ 9332

9331 Fuse Puller



- Pulls and installs both plug-in fuse and glass fuse
- Color available: white, yellow, orange, red

9332 Fuse Puller



- Pulls and installs both plug-in fuse and glass fuse
- Color available: Black